

	Hits	Type	Search Text	DBs
1	0	BRS	"10766931"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
2	1	BRS	10/766931	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
3	1	BRS	"11-025345"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
4	4	BRS	"8-305339"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
5	15466	IS&R	((353/52,30,31,33,34,56, 81,82) or (359/245,248,254,296,48 8,618,629,634) or (349/5,9,25,86,89,92,93, 96,106,113,117,201)).CC LS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
6	17337	IS&R	((353/52,30,31,33,34,56, 81,82) or (359/245,488,618,629,63 4) or (349/5,7- 9,25,96,106,113,117,193, 201) or (348/750,751,756,757,75 9,761) or (345/87,107)).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
7	174	BRS	S6 and (thermal\$2 adj conduct\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	Hits	Type	Search Text	DBs
8	49	BRS	S6 and ((transparent or glass) with (thermal\$2 adj conduct\$5))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
9	49	IS&R	(("5648859") or ("5907312") or ("5784129") or ("4570075") or ("5926294") or ("6227670") or ("6236489") or ("4522497") or ("5245449") or ("5301046") or ("5400156") or ("5420706") or ("5519518") or ("5528392") or ("5566009") or ("5597223") or ("6062694") or ("6195139") or ("4960320") or ("5019808") or ("5410424") or ("5481320") or ("5600457") or ("5619354") or ("5636201") or ("5708525") or ("5737115") or ("5808713") or ("5858284") or ("6069677") or ("6219170") or ("6219170") or ("4387964") or ("4881798") or ("4925271") or ("4995719") or	US-PGPUB; USPAT

			("5189547") or ("5212585") or ("5260719") or ("5264950") or ("5305012") or ("5307186") or ("5387991") or ("5528402") or ("5537258") or ("5541749") or ("5617243") or ("5659411") or ("5815610") or ("5825448")).PN.	
--	--	--	--	--

	Hits	Type	Search Text	DBs
10	0	BRS	S9 and (thermal\$2 adj conduct\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
11	15	BRS	S9 and thermal\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
12	17337	IS&R	((353/52,30,31,33,34,56,81,82) or (359/245,488,618,629,634) or (349/5,7-9,25,96,106,113,117,193,201) or (348/750,751,756,757,759,761) or (345/87,107)).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
13	11	BRS	S12 and ((transparent or glass) with (thermal\$2 adj conduct\$5) with polariz\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
14	14	BRS	("353"/\$ or "359"/\$ or "348"/\$ or "349"/\$) and ((transparent or glass) with (thermal\$2 adj conduct\$5) with polariz\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
15	14	BRS	S9 and thermal\$2 and conduct\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
16	332	BRS	("353"/\$ or "359"/\$ or "348"/\$ or "349"/\$) and ((transparent or glass) with (thermal\$2 adj conduct\$5))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	Hits	Type	Search Text	DBs
17	64	IS&R	(352/52).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
18	0	BRS	("353"/\$ or "359"/\$ or "348"/\$ or "349"/\$) and ((transparent or glass) with ((differerent or another) near1 (thermal\$2 adj conduct\$5)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
19	2	BRS	("353"/\$ or "359"/\$ or "348"/\$ or "349"/\$) and ((transparent or glass) with ((differerent or another or one) near1 (thermal\$2 adj conduct\$5)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
20	2	BRS	("353"/\$ or "359"/\$ or "348"/\$ or "349"/\$) and ((transparent or glass) with ((differeren\$2 or another or one) near1 (thermal\$2 adj conduct\$5)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
21	2	BRS	(optical adj (device or unit or system or apparatus)) and ((transparent or glass) with ((differeren\$2 or another or one) near1 (thermal\$2 adj conduct\$5)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	Hits	Type	Search Text	DBs
22	0	BRS	(projector or (project\$3 adj1 (device or unit or apparatus or display or system))) and (((transparent or glass) with ((differeren\$2 or another or one) near1 (thermal\$2 adj conduct\$5)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
23	1	BRS	(projector or (project\$3 adj1 (device or unit or apparatus or display or system))) and (different adj thermal adj resistance)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
24	81	BRS	(projector or (project\$3 adj1 (device or unit or apparatus or display or system))) and (different adj thermal adj (resistivity or resistance or conductivity or conductance or expansion))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	Hits	Type	Search Text	DBs
25	12	BRS	(projector or (project\$3 adj1 (device or unit or apparatus or display or system))) and (different adj thermal adj (resistivity or resistance or conductivity or conductance or expansion)) and ((dichroic or "X-cube" or (color adj (combining or synthesizing))) adj prism)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
26	64	BRS	(projector or (project\$3 adj1 (device or unit or apparatus or display or system))) and (different adj thermal adj (resistivity or resistance or conductivity or conductance or expansion)) and ("LCD" or (liquid adj crystal) or ((spatial or light) adj modulat\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	Hits	Type	Search Text	DBs
27	64	BRS	(projector or (project\$3 adj1 (device or unit or apparatus or display or system))) and (different adj thermal adj (resistivity or resistance or conductivity or conductance or expansion)) and ("LCD" or (liquid adj crystal) or ((spatial or light or optical) adj modulat\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
28	8	BRS	(projector or (project\$3 adj1 (device or unit or apparatus or display or system))) and ((color adj1 light) with (thermal\$2 adj conduct\$5)) and ("LCD" or (liquid adj crystal) or ((spatial or light or optical) adj modulat\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
29	8	BRS	(projector or (project\$3 adj1 (device or unit or apparatus or display or system))) and ((color adj1 light) with (thermal\$2 adj conduct\$5)) and ("LCD" or (liquid adj crystal) or ((spatial or light or optical) adj modulat\$3)) and (transparent or translucent or glass)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB



	Hits	Type	Search Text	DBs
30	3	BRS	(projector or (project\$3 adj1 (device or unit or apparatus or display or system))) and ((color adj1 light) with differen\$2 with (thermal\$2 adj conduct\$5)) and ("LCD" or (liquid adj crystal) or ((spatial or light or optical) adj modulat\$3)) and (transparent or translucent or glass)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
31	3	BRS	((color adj1 light) with differen\$2 with (thermal\$2 adj conduct\$5)) and ("LCD" or (liquid adj crystal) or ((spatial or light or optical) adj modulat\$3)) and (transparent or translucent or glass)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
32	2	IS&R	("6069677").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
33	275	IS&R	(353/52).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
34	3	BRS	((color adj1 light) with differen\$2 with (thermal\$2 adj (conduct\$5 or resistance or resistivity or expansion)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	Hits	Type	Search Text	DBs
35	15	BRS	((color adj1 light) with (thermal\$2 adj (conduct\$5 or resistance or resistivity or expansion)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
36	275	IS&R	(353/52).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
37	23	BRS	S37 and (thermal\$2 adj conduct\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
38	5	BRS	S37 and ((thermal\$2 adj conduct\$5) with (transparent or translucent or glass))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
39	417	BRS	("353"/\$ or "359"/\$ or "349"/\$ or "348"/\$ or "362"/\$) and ((thermal\$2 adj conduct\$5) with (transparent or translucent or glass))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
40	990	IS&R	(353/31).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
41	463	BRS	S41 and (temperature or heat or thermal or conduct\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
42	358	BRS	S41 and (temperature or heat or thermal or conduct\$5) and (transparent or glass)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	Hits	Type	Search Text	DBs
43	249	BRS	S41 and (temperature or heat or thermal or conduct\$5) and transparent	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
44	55	BRS	S41 and (temperature or heat or thermal or conduct\$5) and (transparent near1 (substrate or frame))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
45	10	BRS	S41 and ((temperature or heat or thermal or conduct\$5) same (transparent near1 (substrate or frame)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
46	4	BRS	S41 and ((temperature or heat or thermal or conductivity) same (transparent near1 (substrate or frame)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
47	41	BRS	("353"/\$) and ((temperature or heat or thermal or conductivity) same (transparent near1 (substrate or frame)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
48	45	BRS	("353"/\$) and ((temperature or heat or thermal\$2 or conductivity) same (transparent near1 (substrate or frame)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
49	0	BRS	"200500181141"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	Hits	Type	Search Text	DBs
50	2	BRS	"20050018141"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
51	2	BRS	10/157556	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
52	46	BRS	"151625"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
53	36	BRS	"161340"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
54	1	BRS	"161340/2001"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
55	3	BRS	"2001-161340"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
56	3	BRS	"2001161340"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
57	889	BRS	("359"/\$) and ((temperature or heat or thermal\$2 or conductivity) same (transparent near1 (substrate or frame)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	Hits	Type	Search Text	DBs
58	220	BRS	("359"/\$) and ((optical or "electro-optical") adj (device or unit or apparatus or system)) and ((temperature or heat or thermal\$2 or conductivity) same (transparent near1 (substrate or frame)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
59	13	BRS	("359"/\$) and ((optical or "electro-optical") adj (device or unit or apparatus or system)) and ((temperature or heat or thermal\$2 or conductivity) same (transparent near1 (substrate or frame))) and ((dichroic or "X" or synthesiz\$3) adj (cube or prism\$1)) and ("LCD" or (liquid adj crystal) or ((spatial or light) adj modulat\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	Hits	Type	Search Text	DBs
60	0	BRS	("359"/\$) and ((optical or "electro-optical") adj (device or unit or apparatus or system)) and ((temperature or heat or thermal\$2 or conductivity) same (transparent near1 (substrate or frame))) and (((dichroic or "X" or synthesiz\$3) adj (cube or prism\$1)) with (support\$3 or pedestal)) and ("LCD" or (liquid adj crystal) or ((spatial or light) adj modulat\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
61	0	BRS	("348"/\$) and ((optical or "electro-optical") adj (device or unit or apparatus or system)) and ((temperature or heat or thermal\$2 or conductivity) same (transparent near1 (substrate or frame))) and (((dichroic or "X" or synthesiz\$3) adj (cube or prism\$1)) with (support\$3 or pedestal)) and ("LCD" or (liquid adj crystal) or ((spatial or light) adj modulat\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	Hits	Type	Search Text	DBs
62	1	BRS	((optical or "electro-optical") adj (device or unit or apparatus or system)) and ((temperature or heat or thermal\$2 or conductivity) same (transparent near1 (substrate or frame))) and (((dichroic or "X" or synthesiz\$3) adj (cube or prism\$1)) with (support\$3 or pedestal)) and ("LCD" or (liquid adj crystal) or ((spatial or light) adj modulat\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
63	110	BRS	(((dichroic or "X" or synthesiz\$3) adj (cube or prism\$1)) with (support\$3 or pedestal)) and ("LCD" or (liquid adj crystal) or ((spatial or light) adj modulat\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
64	75	BRS	("353"/\$ or "359"/\$ or "348"/\$) and (((dichroic or "X" or synthesiz\$3) adj (cube or prism\$1)) with (support\$3 or pedestal)) and ("LCD" or (liquid adj crystal) or ((spatial or light) adj modulat\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	Hits	Type	Search Text	DBs
65	6	BRS	("353"/\$ or "359"/\$ or "348"/\$) and (((dichroic or "X" or synthesiz\$3) adj (cube or prism\$1)) with pedestal) and ("LCD" or (liquid adj crystal) or ((spatial or light) adj modulat\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
66	16	BRS	(((dichroic or "X" or synthesiz\$3) adj (cube or prism\$1)) with pedestal) and ("LCD" or (liquid adj crystal) or ((spatial or light) adj modulat\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
67	97	BRS	(((dichroic or "X" or synthesiz\$3) adj (cube or prism\$1)) with support\$3) and ("LCD" or (liquid adj crystal) or ((spatial or light) adj modulat\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
68	6	BRS	("5493351"   "5721602"   "5743611"   "6540360"   "6565213"   "6709110").PN.	US-PGPUB; USPAT; USOCR
69	0	BRS	("6834964").URPN.	USPAT



	Hits	Type	Search Text	DBs
70	22	BRS	(US-20010021002-\$ or US-20020089759-\$ or US-20020113976-\$ or US-20020131141-\$ or US-20020131144-\$ or US-20020140907-\$ or US-20030007133-\$ or US-20040012982-\$ or US-20040114249-\$ or US-20050018141-\$ or US-20050007556-\$).did. or (US-5473339-\$ or US- 6414781-\$ or US- 6488380-\$ or US- 6491399-\$ or US- 6498672-\$ or US- 6592226-\$ or US- 6603606-\$ or US- 6611381-\$ or US- 6819464-\$ or US- 6834964-\$ or US- 6844993-\$).did.	US-PGPUB; USPAT
71	2	BRS	S72 and (vent or ventilat\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
72	14	BRS	S74 and (ventilat\$3 adj open\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	Hits	Type	Search Text	DBs
73	17337	IS&R	((353/52,30,31,33,34,56,81,82) or (359/245,488,618,629,634) or (349/5,7-9,25,96,106,113,117,193,201) or (348/750,751,756,757,759,761) or (345/87,107)).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
74	37	BRS	"353"/\$ and (ventilat\$3 adj open\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
75	25	BRS	S76 not S75	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB